Product Name: UK-2000, FILLER

Absolute Protective Coatings

SECTION 1: IDENTIFICATION

MANUFACTURER: Absolute Protective Coatings ADDRESS:1265 N Hendrickson Dr Kalama WA 98625

PHONE: 1 (360) 673-6404

CHEMICAL NAME: N/A

COMMON NAME: UK-2000, FILLER CHEMICAL

FAMILY: N/A

H.M.I.S. RATING			
Health	2		
Flammability	0		
Reactivity	1		

SECTION 2: HAZARDOUS CHEMICALS

INGREDIENT	%	CAS#	Lethal Dose	Lethal Concentration
Silica, crystalline, quartz	60-100	14808-60-7	Not available	Not available
Barium Sulphate	7-13	7727-43-7	Not available	Not available
Hydro Carbon Plasticizer	1.2-2	64771-72-8	Not available	Not available
Polyether polyol	10-30	9003-11-6	Not available	Not available
Polyether polyol	10-30	9049-71-2	Not available	Not available

SECTION 3: HEALTH HAZARDS

ROUTES OF EXPOSURE: Eye contact, inhalation

Acute Exposure: Low concentrations of silica dust may irritate the respiratory tract and eyes.

Chronic Exposure: Prolonged and repeated exposure to crystalline silica dust may cause silicosis and lung cancer.

Exposure Limits: ACGIH TLV free. Silica=0.1 ppm respirable dust

Teratogenicity: Not available Irritancy of product: As noted above Reproduction Toxicity: Not applicable

Sensitization: Does not meet criteria

Mutagenicity: Not applicable

Carcinogenicity: Free silica is a probable carcinogen, IAARC-2A list

Synergistic Products: Not available

SECTION 4: FIRST AID

Eyes: Flush with running water for at least 20 minutes, while holding eyelids open. Refer individual to physician if irritation persists.

Skin: Remove contaminated clothing. Wash affected areas thoroughly with soap and water. Wash contaminated clothing thoroughly before reuse. Get medical attention if irritation persists.

Inhalation: Remove to fresh air. Give artificial respiration as needed. Obtain medical attention.

Absolute Protective Coatings

Product Name: UK-2000, FILLER

Ingestion: Do not induce vomiting. Wash mouth out thoroughly with water. Give 3 or 4 glasses of water DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON. If aspiration to the lungs is suspected, obtain medical advice urgently. Consult a physician.

SECTION 5: FIRE AND EXPLOSION DATA

Flammable No

Flash Point Not applicable
Upper/lower flammability limit Not available
Auto-ignition temperature Not available
Hazardous combustion products Sulphur dioxide gas

Sensitivity to static discharge No Explosion data, sensitivity to impact No

Means of extinction: Use appropriate means to extinguish surrounding fire. Use water spray to cool containers.

Special Fire Fighting Procedures: Firefighters must wear self-contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedure: Secure the spill area. Use all applicable personal protective equipment. Minimize generation of airborne dust during handling.

SECTION 7: HANDLING AND STORAGE

Handling and Storage Procedures: Store in a cool, dry place away from direct sunlight. Do not store near foodstuffs. Keep containers tightly closed when not in use. Minimize generation of airborne dust during handling.

SECTION 8: PERSONAL PROTECTION AND EXPOSURE CONTROLS

Skin Protection Requirements: Gloves not normally needed. Coveralls recommended. Footwear as required on jobsite.

Eye Protection: Safety goggles strongly recommended.

Respirator Requirements: NIOSH recommends, at any detectable level of crystalline silica in air, a positive pressure full face-piece self-contained breathing apparatus.

Additional Protective Measures: Safety showers and eyewash stations should be available.

Engineering Controls (specify ventilation, enclosed process): Use a combination of general dilution ventilation and local exhaust ventilation to control exposure.

SECTION 9: TYPICAL PHYSICAL AND CHEMICAL PROPERTIES

Physical Form Solid Color White

Revision Date: September 1, 2015 Page 2 of 4 Effective Date: September 1, 2015

Product Name: UK-2000, FILLER

Absolute Protective Coatings

Odor None Appearance Powder Vapor Pressure Not applicable Vapor Density (Air=1) Not applicable Odor Threshold Not applicable Evaporation Rate (n-Butyl acetate=1) Not applicable 2200°C **Boiling Point** Freezing Point 1500°C Not applicable Specific Gravity (water=1) 2.48 Solubility in Water Insoluble in water **SECTION 10: STABILITY AND REACTIVITY** Stability: Stable under normal conditions Incompatibilities (Materials to avoid): Incompatible with hydrofluoric acid, silica may react violently. Reactivity: Not reactive under normal conditions. Hazardous Decomposition Products (by high heat and fire): None known. **SECTION 11: TOXICOLOGICAL PROPERTIES** N/A **SECTION 12: ECOLOGICAL INFORMATION** N/A **SECTION 13: DISPOSAL INFORMATION** Waste Removal: Follow all national, state and local regulations for non-hazardous waste management. **SECTION 14: TRANSPORT INFORMATION** Not "Dangerous Goods" under TDGR **SECTION 15: REGULATORY INFORMATION** N/A **SECTION 16: OTHER INFORMATION**

Product Name: UK-2000, FILLER

Absolute Protective Coatings

DISCLAIMER: The information contained herein is based on data believed to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable regarding all current regulations.

Revision Date: September 1, 2015 Page 4 of 4 Effective Date: September 1, 2015